For more information please visit www.teac.de

TEAC Europe GmbH • Bahnstraße 12 • D-65205 Wiesbaden • Tel.: +49 / 6 11 / 71 58-0 • Fax: +49 / 6 11 / 71 58-392

Technische Spezifikationen können sich ohne vorherige Ankündigung ändern. Für Druckfehler kann keine Verantwortung übernommen werden.
Technical specifications are subject to change without notice. No responsibility is assumed for printing errors.

TEAC®
media systems

SOUND SYSTEMS
PRODUCT OVERVIEW

www.teac.de

ACTIVE STEREO SPEAKERS
SUBWOOFER SYSTEMS
STEREO HEADSETS

TEAC®
media systems

SOUND IS EVERYTHING – ENJOY IT

DEUTSCH
Unsere Subwoofer Systeme, Stereo-Boxen und USB Speaker brillieren mit transparentem Klang und dynamischer Performance. Räumlich klar und detailrein. Satt im Bassbreich, präzise in den Spitzen. Alles verpackt in zeitlos schickem Design. Auch gut zu hören: Sämtliche SoundSystems haben eingebaute Verstärker und sind magnetisch abgeschirmt. Und: Alle Subwoofer haben ein solides Holzgehäuse.

ENGLISH
Our subwoofer systems, stereo and USB speakers ensure rich sound and dynamic performance at a first class prize. They impress with a great depth of bass and their stylish appearance. All speakers have integrated amplifiers and are magnetically shielded. A further plus: subwoofers come in a solid wooden housing!

POWERLINE
ARTLINE
BASICLINE

MP-5XS

2.1 CHANNEL STEREO SOUND SYSTEM

Power sound for every MP3 player
3 built-in amplifier channels
Infrared remote control - Control buttons on unit
MP3 and Line input selectable

XL-20

2.1 SUBWOOFER SYSTEM

CHIP ONLINE .de
Preis-Tipp:
★★★★★
November 2006
The best buy

Cable remote control
Peak output power: 70 Watt
Bandpass woofer system
Headphone output

XT-3

2.1 SUBWOOFER SYSTEM

IR remote control and desktop control station
Peak output power: 140 Watt
3 Built-in amplifiers

XT-6

5.1 SURROUND SOUND SYSTEM

IR remote control and desktop control station
Peak output power: 200 Watt
6 Built-in amplifiers

ARTLINE

XP-5

2.1 SUBWOOFER SYSTEM

Great design, great technology: transform your CD, MP3, portable DVD or laptop into a superior stereo sound solution!

XP-20

2.1 SUBWOOFER SPEAKER SYSTEM

Built-in amplifiers
Peak output power: 26 Watt
Cable remote control with power switch



XS-2

USB STEREO SPEAKERS

Built-in amplifiers
Integrated USB decoder
Including carrying bag

BASICLINE

X-3

STEREO SPEAKER SOUND SYSTEM

Built-in amplifiers
Volume control / Earphone jack
Frequency range: 80 Hz to 20.000 Hz

X-4

STEREO SPEAKER SYSTEM

Built-in amplifiers
Volume control / Earphone jack
Frequency range: 80 Hz to 20.000 Hz

X-30

2.1 SUBWOOFER SPEAKER SYSTEM

Built-in amplifiers
Volume and bass control / Earphone jack
Frequency range subw./sat.: 60 - 150 Hz / 150 - 20.000 Hz



X-60

5.1 SUBWOOFER SPEAKER SYSTEM

Built-in amplifiers
Volume and bass control / Earphone jack
Frequency range subw./sat.: 40 - 150 Hz / 150 - 20.000 Hz

HEADSETS – THE NEW EXPERIENCE



DEUTSCH
Tolles Styling, beeindruckender Sound und hoher Tragekomfort: Unsere neuen Headphones sind für die unterschiedlichsten Anwendungen konzipiert und lassen sich an zahlreiche Audio-Quellen anschließen. Der Spiele-Fan kommt mit phantastischem 5.1 Surround-Sound ebenso auf seine Kosten wie der anspruchsvolle Office User mit praktischen VoIP-Headsets – und alles ohne störende Nebengeräusche. Einfach klasse!

ENGLISH
Great styling, impressive sound and optimum comfort: our new headsets are the perfect gear for use on PCs, for business or just for pleasure. Several ranges of headsets are tailored to suit your specific needs for 5.1 gaming, web surfing, travel or VoIP in high-noise level environments. It´s a new experience – for sure.

- MULTIMEDIA PHONE LINE
- USB SURROUND LINE
- GAMER PHONE LINE
- MP3 LINE
- BLUETOOTH PHONE LINE
- CALL LINE

MULTIMEDIA PHONE LINE

HP-1 / HP-2 / HP-3

MULTI MEDIA STEREO HEADSET

Stereo headsets with microphone
Lightweight and comfortable
Connects to stereo source with mini phono sockets

USB SURROUND LINE

HP-6D

VIRTUAL SURROUND SOUND USB HEADPHONE

Includes microphone and volume control
Connection via USB 2.0

HP-7D

5.1 SURROUND SOUND USB HEADPHONE

SFT 07/2006
KAUFTIPP
Grading 1.3

Magic voice software included
Incorporates 8 speaker drivers
Volume/Mic control, USB 2.0

GAMER PHONE LINE

HP-5
MULTIMEDIA STEREO HEADSET
WITH VIBRATION

Connects to stereo source via 3.5 mm mini phono plug
Includes: microphone, volume and bass vibration control

HP-11
5.1 MULTIMEDIA HEADSET
WITH VIBRATION

Separate amplifier with audio inputs and outputs
Includes microphone, volume and vibration control
Incorporates 8 speaker drivers

HP-12
STEREO HEADSET
WITH MICROPHONE

Superb HIFI sound qua-
Powerful bass by large
In-line volume control
Microphone included

MP3 LINE

MP-1HP
EARPHONE

High-quality metal sticks
Neck strap with internal wires and with removable holder for MP3 player

MP-3HP
NECKHOLDER HEADPHONES

Stereo Headphones with dynamic sound and brilliant performance

MP-4HP
IN-EARPLUGS

In-earplugs with power-
Impressive bass power, brilliant treble
Ultimate HiFi experience

lity
drivers

HP-13D

USB VIRTUAL SURROUND HEADPHONE
WITH SUBWOOFER VIBRATION

Subwoofer vibration function
Dynamic light effects by flashing
colour LEDs

HP-4BT

BLUETOOTH STEREO HEADSET
WITH MICROPHONE

ful sound
clear midrange,

Connects to any audio bluetooth source
Supports VoIP, MSN, and other messengers
Echo elimination and noise suppression

HP-8BT

BLUETOOTH STEREO HEADSET WITH
MICROPHONE AND BLUETOOTH-ADAPTER

3,5 mm bluetooth jack adapter
Bluetooth connection to any audio source
Supports VoIP, MSN, and other messengers

CALL LINE

HP-9

MONO CLIP EARPHONE HEADSET

With flexible microphone
2 x 3.5 mm connectors for PC/laptop
Frequency range: 20 - 20.000 Hz

HP-14

STEREO HEADPHONE

Ultra lightweight
High sensitivity microphone
Connects to stereo source
with mini phono socket

HP-20

VoIP MONO HEADSET

Ultra lightweight
High sensitivity microphone
Connects to stereo source
with mini phono socket

TEAC – THE QUALITY EXPERIENCE

SPECIFICATIONS

Excellent audio experience is always a quality experience: all TEAC sound systems - 2.1 and 5.1 subwoofer systems, stereo speakers, headsets and VoIP products - are manufactured according to TEAC's high quality standards and are approved by TEAC's rigid quality management. They offer precise sound, remarkable technology and loads of additional features at an attractive price performance ratio.

SUBWOOFER SYSTEMS

	MP-5XS	XL-20	XT-3	XT-6	XP-5	XP-20	X-30	X-60
Subwoofer System	2.1	2.1	2.1	5.1	2.1	2.1	2.1	5.1
Built-in amplifiers	x	x	x	x	x	x	x	x
Power indicator	x	x	x	x	x	x	x	x
Peak output power	> 50 W	> 70 W	> 140 W	> 200 W		> 26 W	> 20 W	> 50 W
Headphone output		x						
Line inputs	MP3/MP4 audio		3 selectable					
Selector for 5.1 channel or stereo input				x				
Seperate inputs for 5.1 and stereo sources				x				
Wireless infrared remote control	x		x	x				
Desktop control station with IR receiver	x		x	x				
Cable/satellite remote control						x	x	x
Rear control				x				
Volume control	x	x	x	x	x	x	x	x
Bass control	x	x	x	x	x	x	x	x
Headset jack	x	x	x	x	x	x	x	x
Voltage	230/12 V	230 V	230 V	230 V	220/230 V	230 V	230 V	230 V
Subwoofer driver	mm	105 mm	120 mm	120 mm	105 mm	105 mm	76 mm	105 mm
Frequency range	40-20,000 Hz	50 - 150 Hz	30 - 150 Hz	30 - 150 Hz	40 - 110 Hz	40 - 150 Hz	60 - 150 Hz	40 - 150 Hz
Power output (RMS)	30 W	15 W	35 W	35 W	8 W	7 W	6 W	10 W
Dimensions (WxHxD mm)	400x160x246	170x190x170	180x280x270	180x280x270	184x82x85	130x254x269	129x180x164	142x223x234
Satellites								
Driver		76 mm	76 mm	76 mm	66 mm	54 + 25 mm	66 mm	66 mm
Frequency range		150-20,000 Hz	150-22,000 Hz	150-22,000 Hz	100-16,000 Hz	150-20,000 Hz	150-20,000 Hz	150-20,000 Hz
Power output (RMS)		2 x 10 W	2 x 12.5 W	2 x 11 W	2 x 3 W	2 x 3 W	2 x 2.5 W	5 x 3 W
Dimensions (WxHxD mm)		95x155x90	86x170x85	86x170x85	85x157x80	76x110x224	85x157x80	85x157x80

SPECIFICATIONS

BASIC LINE / ART LINE

	XS-2	X-3	X-4
Characteristics	USB Stereo Speaker	Stereo Speaker	Stereo Speaker
Built-in amplifiers	x	x	x
Power indicator	LED	LED	LED
Volume control	x	x	x
Earphone jack		x	x
Voltage	USB supply	230 V	230 V
Driver		66 mm	66 mm
Frequency rango	120 - 20,000 Hz	80 - 20,000 Hz	80 - 20,000 Hz
Power output (RMS)	2 x 0.5 W	2 x 1.1 W	2 x 1.1 W
Dimensions (WxHxD mm)	46x105x40	85x157x80	75x175x76
Extras	Integrated USB decoder, carrying bag		

MULTIMEDIA PHONE LINE

	HP-1	HP-2	HP-3
Headphones			
Speaker drivers	30 mm	40 mm	30 mm
Impedance	32 Ohm	32 Ohm	32 Ohm
Frequency range	20 - 20,000 Hz	20 - 20,000 Hz	20 - 20,000 Hz
Volume control	x	x	x
Connectivity	3.5 mm stereo jack	3.5 mm stereo jack	3.5 mm stereo jack
Microphone	x	x	x
Sensitivity	105 dB SPL	105 dB SPL	103 dB SPL
Microphone control	x	x	x

GAMER PHONE LINE & USB SURROUND LINE

	HP-5	HP-11	HP-12	HP-13D	HP-6D	HP-7D
Characteristics	Stereo headset with vibration	5.1 Stereo headset with vibration	Stereo headset with microphone	USB virtual surround headphone	Virtual surround sound USB headphone	5.1 Surround sound USB headphone
Audio inputs		AUX (stereo), DVD (5.1 channel)				
Audio outputs		6 channels				
Compatibility		DVD, PC, VCD, CD, TV, MP3, CD-R, CD-DA				
Power supply	2 AAA batteries	Adaptor 230 V		USB 2.0	USB 2.0	USB 2.0
Speaker drivers	40 mm	8 in total, 30 / 40 mm	50 mm	40 mm	40 mm	30 / 40 mm
Impedance	32 Ohm	32 Ohm	60 Ohm		32 Ohm	8 – 64 Ohm
Frequency range	20 - 20,000 Hz	20 - 20,000 Hz	20 - 20,000 Hz	20 - 20,000 Hz	20 - 20,000 Hz	20 - 20,000 Hz
Volume control	x	x	x	x	x	x
Vibration control	x	x	x	x		
Speaker vibration	20 - 120 Hz	20 - 120 Hz	20 - 120 Hz	20 - 120 Hz		
Microphone	x	x	x	x	x	x
Sensitivity	105 dB SPL	105 dB SPL	105 dB SPL	105 dB SPL	105 dB SPL	105 dB SPL
Microphone control					x	x
Connectivity	Stereo source with jack socket	5.1 channel surround sound source or stereo source	2 x 3,5 mm for PC/laptop	PC with USB port	PC with USB port	PC with USB port

MP3 LINE

	MP-1HP	MP-3HP	MP-4HP
Characteristics	Earphone	Neckholder headphones	In-earplugs
Impedance	32 Ohm	32 Ohm	32 Ohm
Frequency range	25 – 35.000 Hz	20 - 20,000 Hz	18 – 30.000 Hz
Volume control	x	x	x
Connectivity	3.5 mm stereo jack	3.5 mm stereo jack	3.5 mm stereo jack
Neck strap	x		x

BLUETOOTH PHONE LINE

	HP-4BT	HP-8BT
Characteristics	Bluetooth stereo headset with microphone	Bluetooth stereo headset with microphone and bluetooth adapter, supports VoIP + other messengers
Power supply	Rechargable Lithium/Polymer battery	Rechargable Lithium/Polymer battery
Operation distance	15 m	15 m
Operation time	6.5 hrs	6.5 hrs
Echo elimination / noise suppression	x	x
Volume control	x	x
Automatic music/phone switching	x	x
Connectivity	Bluetooth V1.2, A2DP, AVRCP	Bluetooth V1.2, A2DP, AVRCP Adapter: 3,5 mm stereo jack

CALL LINE HEADSETS

	HP-9	HP-14	HP-20
Characteristics	Mono Clip Earphone	Stereo Headphone	VoIP Mono
Microphone	x	x	x
Speaker drivers		30 mm	30 mm
Frequency range	20 - 20,000 Hz	20 - 20,000 Hz	20 - 20,000 Hz
Volume control		x	x
Connectivity	2 x 3.5 mm for PC / Laptop	3,5 mm plug	Mono source with mini phono socket

HAVE A LOOK AT OUR OTHER HIGHLIGHT PRODUCTS

WAP

MOBILE ENTERTAINMENT

FOR FURTHER INFORMATIONS PLEASE CONTACT US AT: WWW.TEAC.DE